

Report title

GHG Emission Report, v1.1

Indicator

1.21.4

Instructions

This template is intended for reporting greenhouse gas emissions results to ASC. The Feed Standard does not prescribe a specific standard or set of methods for generating GHG values. However, suppliers should be aware that the development of the Farm Standard requirements may necessitate the application of specific methods for feed emissions in the future.

Emissions can be reported in either or both columns using a biophysical or economic allocation approach. Emissions results must be provided according to scope (1-3) as well as by input/activity, being general feed ingredient categories and additional transport and milling emissions that aren't otherwise captured within ingredients. 'Transport and milling' emissions should be at least equal to the sum of scope 1 and scope 2 emissions. If possible, emissions should also be broken down by category (fossil, biogenic, or land use change), facilitated by certain databases and assessment methods. Any uncategorized emissions should be reported as 'Unspecified emissions' (If feed suppliers are unable to determine emissions by category, the total of all emissions can be reported as unspecified).

This template is also expected to reflect the resolution of data that feed suppliers will need to provide to farms to satisfy feed-related emissions modeling for the Farm Standard. Feed suppliers should be ready to adjust the composition of ingredients used in calculations to reflect typical compositions of feeds relevant to each producer, whether that is on a producer-level or a general species-level (e.g. average ASC-compliant salmon feed composition), so that relevant emissions estimates are available to aquaculture producers for their own calculations.
Only enter data in blue cells.



Table 1. Production year

Year of production (yyyy)

2025

Table 2. GHG emissions by scope**Emissions scope**

Scope 1

Scope 2

Scope 3

Total**GHG emissions per tonne of ASC compliant feed (kg CO₂-eq/t)**

	Biophysical (mass) model	Economic model
Scope 1	41,31	
Scope 2	94,53	
Scope 3	1.270	
Total	1405,72	0

Table 3. GHG emissions by category**Emissions category**

Fossil emissions

Biogenic emissions

Land use change emissions

Unspecified emissions

Total

	Biophysical (mass) model	Economic model
Fossil emissions		764,07
Biogenic emissions		62,71
Land use change emissions		578,93
Unspecified emissions		
Total	0	1405,71

Table 4. GHG emission by Input / Activity**Input / Activity**

Soy crop inputs

Other crop inputs

Reduction fishery inputs

Fishery by-product inputs

Poultry / livestock inputs

Other feed inputs

Transport and milling

Total

	Quantity (kg/t)	Biophysical (mass) model	Economic model
Soy crop inputs	285,8384609		680,12
Other crop inputs	499,2361113		410,16
Reduction fishery inputs			
Fishery by-product inputs	9,137279613		6,35
Poultry / livestock inputs	128,6182929		104,56
Other feed inputs	77,16985535		68,7
Transport and milling		135,8	
Total	1000	135,8	1269,89

Notes

All emissions values must be reported in units of kg CO₂-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.